
THE PHYSICS OF THE PINEWOOD DERBY

TABLE OF CONTENTS

CHAPTER 1 - INTRODUCTION	1
CHAPTER 2 - CONSTANTS, PARAMETERS, AND VARIABLES	
2.1 ENVIRONMENTAL CONSTANTS	7
2.2 TRACK PARAMETERS	8
2.2.1 The Standard Track	8
2.2.2 The Perfect Ramp	9
2.3 CAR PARAMETERS	10
2.3.1 The Standard Car	10
2.3.2 The Perfect Car	11
2.3.3 The Perfect Race	12
2.4 VARIABLES	12
CHAPTER 3 - SIMPLE MATHEMATICAL MODELS FOR THE PERFECT CAR	
3.1 THE CIRCULAR ARC RAMP	15
3.2 THE INCLINED PLANE RAMP	17
3.3 THE CIRCULAR ARC RAMP - EXACT SOLUTION	18
3.4 THE PERFECT RAMP	25
3.4.1 Various Circular Arc ramps	25
3.4.2 The Brachistichrone - A Variational Application in Space	28
3.4.3 The Cycloid Ramp - Horizontal Tangent Position Unspecified	30
3.4.4 The Cycloid Ramp - Horizontal Tangent Position Specified	31
3.4.4.1 Analysis of Cycloid Ramp Motion	33
3.4.4.2 Cycloid Properties	34
3.4.4.3 Time Calculation	36
3.4.5 The Lagrangian Formulation - A Variational Application in Time	37
3.5 THE CENTER OF MASS EFFECT	40
3.5.1 The Circular Arc Ramp	40
3.5.2 The Inclined Plane Ramp	43
3.5.4 Comparison of The Circular Arc and the Inclined Plane Ramp	44
CHAPTER 4 - MORE DETAILED AERODYNAMIC AND OTHER MATH. MODELS	
4.1 INTRODUCTION	45
4.2 WHEEL MOMENT OF INERTIA	45
4.2.1 The Circular Arc Ramp	46
4.2.2 The Inclined Plane Ramp	48
4.3 AIR RESISTANCE	49
4.3.1 Introduction	49
4.3.2 The Newtonian View	49
4.3.3 The Momentum Balance Approach	51
4.3.4 Energy Considerations	56
4.3.5 Immersed Flow	57
4.3.6 Theoretical Drag Coefficients	62

TABLE OF CONTENTS (CONTINUED)

4.3.7	Viscosity Effects	63
4.3.8	The Boundary Layer	64
4.3.9	Experimental Drag Coefficients	66
4.3.10	The Circular Arc Ramp	68
4.3.11	Horizontal Motion	72
4.3.12	The Inclined Plane Ramp	73
4.4	FRICTION	75
4.4.1	Basics of Friction	76
4.4.2	The Circular Arc Ramp	78
4.4.3	The Inclined Plane Ramp	81
4.5	SUMMARY OF RELATIVE EFFECTS	82
4.6	REACTION FORCE EFFECT ON FRICTION	84
4.7	A MORE EXACT VELOCITY SOLUTION	87

CHAPTER 5 - A COMPLETE MATHEMATICAL MODEL

5.1	THE CIRCULAR ARC RAMP	91
5.2	THE VELOCITY SOLUTION	96
5.3	HORIZONTAL MOTION	97
5.4	THE INCLINED PLANE RAMP	102
5.4.1	Ramp Motion Ignoring the Transition Region	102
5.4.2	The Inclined Plane Ramp Transition	103
5.4.2.1	Newton's Second Law Approach to the Transition Time	104
5.4.2.2	The CM Path and Energy Relation Approach	105
5.4.2.3	The Exact Transition Time	113
5.5	SUMMARY	116
5.5.1	The Circular Arc Ramp	116
5.5.2	The Inclined Plane Ramp	116
5.5.3	Horizontal Motion	116
5.5.4	The Center of Mass Effect	116

CHAPTER 6 - THE EXACT SOLUTION FOR THE CIRCULAR ARC RAMP

6.1	INTRODUCTION	117
6.2	THE MILNE METHOD - PERFECT CAR CASE	118
6.2.1	The Maclaurin Series	119
6.2.2	The Milne Solution	121
6.2.3	Interpolation for Time and Velocity	122
6.2.4	The Solution for Small h Values	126
6.3	THE MILNE METHOD - GENERAL CASE	127
6.3.1	Summary	127
6.3.2	The Maclaurin Series	129
6.3.3	The Milne Solution	131
6.4	CORRELATION DEVELOPMENT	131
6.5	EXTENSIONS TO THE CIRCULAR ARC RAMP MODEL	138
6.5.1	Smaller Values for Starting Angle	138
6.5.2	Circular Arc Ramps Not Tangent to the Horizontal	140

TABLE OF CONTENTS (CONTINUED)

CHAPTER 7 - WHEELS

7.1	INTRODUCTION	142
7.2	WHEEL MATERIAL PROPERTIES	142
7.3	SLAB WHEELS	144
7.4	STANDARD WHEELS	145
7.4.1	Standard Wheel - 1990	145
7.4.2	Standard Wheel - 1991	149
7.4.3	1991 Wheel and Axle Dimensions	150
7.5	LATHE TOOLS AND FITTINGS	152
7.5.1	Lathe Tools	152
7.5.2	Standard and Segmented Wheel Fittings	153
7.6	MODIFYING THE 1990 STANDARD WHEEL	155
7.6.1	The White 12/3/90 Wheel	155
7.6.2	The White 12/29/90 Wheel	159
7.6.3	The White 1/20/91 Wheel	159
7.6.4	The Black Widow Pace Car Wheel	162
7.7	MODIFYING THE 1991 STANDARD WHEEL	165
7.7.1	The JN No. 99 Wheel	165
7.7.2	The Garcia 2/93 Wheel	166
7.7.3	The JS Red 2/92 Wheel	166
7.7.4	The JS Min Spec Wheel	166
7.7.5	The JN Test Wheel	167
7.7.6	The JN Silver Rear Wheels	169
7.7.7	The JN Silver Front Wheels	169
7.8	SMALL AXLE SEGMENTED AND UNSEGMENTED WHEELS	170
7.8.1	Making Small Axles - 0.042"	170
7.8.2	Making Small Axles - 0.039"	172
7.8.3	Quench Hardening the Axle Shaft	173
7.8.4	Polishing the Axle Assembly	174
7.8.5	The JS Red 039 Wheel	175
7.8.6	The JN Gold 042 Wheel	181
7.8.7	The JN Silver 042 Wheel	181
7.8.8	The JN Red 042 Wheel	181
7.9	X - WHEELS	182
7.9.1	X - Wheel Outer Shell	182
7.9.2	X - Wheel Inner Shell	185
7.9.3	X - Wheel Assembly	188
7.10	REMOLDED WHEELS	189
7.10.1	Mold Construction	189
7.10.2	Using the Mold	190
7.10.3	Tapering the Wheel	192
7.10.4	The T2 Hole Wheel	193
7.10.5	The T2 Calibrate Wheel	194
7.10.6	The Optimum Wheel	195

TABLE OF CONTENTS (CONTINUED)

7.11	WHEEL FORCES AND PERFORMANCE	196
7.11.1	Wheel Friction	196
7.11.2	Wheel Types	197
7.11.3	Approximate Analysis - One Wheel Sliding on Axle	197
7.11.4	Detailed Analysis	200
7.11.5	Summary of Wheel Forces	207
7.12	WHEEL PROPERTY SUMMARY	210

CHAPTER 8 - CAR BODIES

8.1	INTRODUCTION	211
8.2	CAR BODY DESIGN	211
8.2.1	Pinewood Derby Body Blocks	211
8.2.2	The Standard Car Body	212
8.2.3	The White Car Body	214
8.2.4	The JSRG Car Body	215
8.2.5	The JNRG Car Body	216
8.2.6	The JNTS Car Body	217
8.2.7	The JSTR Car Body	220
8.2.8	The JNSN Car Body	221
8.2.9	The T2 Car Body	222
8.2.10	The JNGE Car Body	225
8.3	THE ESTIMATION OF AERODYNAMIC DRAG COEFFICIENTS	226
8.3.1	The Reynold's Number	226
8.3.2	Skin Friction Drag	228
8.3.3	Pressure Drag	229
8.3.4	Drag Coefficient Estimation for Key Symmetrical Shapes	231
8.3.4.1	Various Drag Contributions	232
8.3.4.2	Shapes 1B and 2B, $R_D = 7.3 \times 10^4$, $L/D = 8$	233
8.3.4.3	Skin Friction Calculations	235
8.3.4.4	Streamlined Noses and Negative Nose Drag	235
8.3.4.5	Jet Pump Effect	236
8.3.4.6	Shapes 1A and 2A, $R_D = 7.3 \times 10^4$, $L/D = 20$	236
8.3.4.7	Shapes 1B, 2B, 1A, 2A for $R_D = 2.9 \times 10^3$	236
8.3.4.8	Drag for Shapes 3A, 3B	237
8.3.4.9	Drag for Shapes 4A, 4B	238
8.3.4.10	Drag for Shapes 5A, 5B	238
8.3.4.11	Drag for Shapes 6A, 6B	239
8.3.5	Estimation of Drag Coefficients for Unsymmetrical Shapes	240
8.3.6	Application of Derived Drag Coefficients to Car Body Design	243
8.4	EXPERIMENTAL DETERMINATION OF DRAG COEFFICIENTS	249
8.4.1	Introduction	249
8.4.2	Wind Tunnel Types	249
8.4.3	Wind Tunnel Construction and Operation	251
8.4.4	Wind Tunnel Velocity Calibration	255
8.4.5	Standard Test Objects	258
8.4.6	Car Body Drag Coefficient Measurement	259
8.5	SUMMARY OF BODY AND WHEEL DRAG COEFFICIENTS	266

TABLE OF CONTENTS (CONTINUED)

CHAPTER 9 - FRICTION AND LUBRICATION

9.1	INTRODUCTION	267
9.2	THE NATURE OF FRICTION	267
9.3	CHARACTERISTICS OF LUBRICANTS	273
9.3.1	Liquid Lubrication - Hydrodynamic	273
9.3.2	Liquid Lubrication - Boundary	277
9.3.3	Dry Solid Lubricants	280
9.4	LUBRICANT SCREENING TESTS	285
9.4.1	General Experimental Setup	285
9.4.1.1	The Total Spin Time (TST) Method	286
9.4.1.2	The Spin Time Decay (STD) Method	286
9.4.2	Cylindrical Tins	287
9.4.2.1	The Small Tin	289
9.4.2.2	The Large Tin	292
9.4.3	Thin Discs	293
9.4.3.1	Thin Steel Disc - Top Spun	293
9.4.3.2	The Navier-Stokes Solution	294
9.4.3.3	The T2 Trimmed Wheel	295
9.4.4	Liquid Lubricant Friction Tests	296
9.4.4.1	Wheel Bore and Axle Preparation	296
9.4.4.2	Fitting FDS	296
9.4.4.3	Liquid Lubricant Preparation	299
9.4.4.4	Experimental Procedure	301
9.4.4.5	Liquid Lubricant Friction Results	303
9.4.5	Solid Lubricant Friction Tests - Low Velocity Average Coefficient of Friction	305
9.4.5.1	Wheel Bore and Axle Preparation	305
9.4.5.2	Lubrication Procedures	306
9.4.5.3	Solid Lubricant Screening Results	308
9.4.5.4	X-Lube Graphite Lubricant Results	313
9.4.5.5	PTFE Powder Results	315
9.4.5.6	Molybdenum Disulfide Powder Results	316
9.4.5.7	Effect of Axle Roughness	316
9.4.6	Solid Lubricant Friction Tests - Coefficient of Friction as Function of Velocity	317
9.4.6.1	Discussion of Results	317
9.4.6.2	Average Coefficient of Friction by TST	319
9.4.6.3	Variable Friction Effect on Race Time	319
9.4.6.4	Brass Bore on Steel X-lubed Axle	322
9.5	COEFFICIENT OF FRICTION FOR TRANSVERSE WHEEL SLIDING	323

CHAPTER 10 - THE PERFECT RACE

10.1	INTRODUCTION	325
10.2	CENTER OF MASS VERSUS AIR RESISTANCE OPTIMIZATION	325
10.3	WHEEL RADIUS VERSUS MOMENT OF INERTIA OPTIMIZATION	330
10.4	PERFORMANCE OF RACE600Z.BAS	335
10.5	SENSITIVITY OF TIME TO NET MASS OF RACE CAR	336
10.6	BALL BEARING RUNS	337
10.7	ACTUAL PERFECT RACE ANALYSES FOR VARIOUS CARS	339

TABLE OF CONTENTS (CONTINUED)

CHAPTER 11 - STATISTICS AND RACE VARIABILITY

11.1	INTRODUCTION TO STATISTICS	345
11.2	CHAPTER OUTLINE, INCLUDING APPENDICES 14 -18	345
11.3	STATISTICAL DEFINITIONS	346
11.4	TIME MEASUREMENTS IN DATA SET 1	348
11.4.1	Data acquisition for Data Set 1	348
11.4.2	Graphical Depiction of Data Set 1	350
11.4.3	The Distribution of the Mean Values	351
11.4.4	The Distribution of the Deviations from Time Heat Mean Values	325
11.4.5	The z Variable	353
11.4.6	Goodness-of-Fit for Normal Distributions of Data Set 1	353
11.4.6.1	Data Set 1- Goodness-of-Fit	354
11.4.6.2	Time Heat and Randomly Selected 3-Time Averages - Goodness-of-Fit	355
11.4.6.3	Time Heat Deviates - Goodness of Fit	356
11.4.7	Other Applications of the χ^2 Distribution	356
11.4.7.1	The χ^2 Distribution for $df = 1$	356
11.4.7.2	Testing χ^2 , $df = 1$	357
11.4.7.3	The χ^2 Distribution for $df = 2$ and $df = 3$	359
11.4.8	The Standard Deviation Distribution	360
11.5	APPLICATIONS TO DATA SET 2	361
11.6	APPLICATIONS TO DATA SETS 3 AND 4	362
11.7	ESTIMATION APPLICATIONS USING NORMAL AND T -DISTRIBUTIONS	364
11.7.1	Given σ , μ and a Normal Distribution	364
11.7.2	Given σ , x and a Normal Distribution	365
11.7.3	The Difference Between Time Heat Averages	366
11.7.4	Given s , $\bar{x}_n$, and a Normal Distribution	369
11.8	CORRELATION USING LINEAR REGRESSION	370
11.8.1	Simple Linear Regression - Derivation	370
11.8.2	Simple Linear Regression - Correlation Coefficient	372
11.8.3	A Statistical Model for Linear Regression	374
11.8.4	Multiple Linear Regression - Introduction	377
11.8.5	Multiple Linear Regression - Derivation	377
11.9	LINEAR REGRESSION APPLICABILITY	382

CHAPTER 12 - OTHER CAR DESIGNS

12.1	FUNNY CARS	383
12.1.1	The Falling Weight Car	383
12.1.2	The Rocket Powered Car	385
12.1.2.1	Car Parts	385
12.1.2.2	Car Construction	385
12.1.2.3	Wiring the Circuit	389
12.1.2.4	Operation	389
12.1.2.5	Performance	390
12.2	THE NEARLY PERFECT CAR	392
12.2.1	Introduction	392
12.2.2	Body Design	392
12.2.3	Wheel Design	395
12.2.4	Air Drag	396
12.2.5	Body Assembly and CM Calculations	396
12.2.6	Performance of the NP Car	397

TABLE OF CONTENTS (CONTINUED)

APPENDIX 1 - PHOTOGRAPHS

Photo A1.P1	Cars JNGE, JNSN, and T2 at the gate	399
Photo A1.P2	The Standard Car as described in Chapter 1 and in Fig 8.3	399
Photo A1.P3	Views of the BW Pace Car and the JSRG Car described in Chapter 8	400
Photo A1.P4	Views of the JNRG Car and the JNTS Car as described in Chapter 8	401
Photo A1.P5	Views of the JNSN Car and the JSTR Car as described in Chapter 8	402
Photo A1.P6	Views of the T2 Car and the JNGE Car as described in Chapter 8	403
Photo A1.P7	Photos of the first 12 wheels from Table 7.10	404
Photo A1.P8	Photos of the last 12 wheels from Table 7.10	405
Photo A1.P9	Body hole drill guide	406
Photo A1.P10	Body lead mold as shown in Figure 8.52	406
Photo A1.P11	Compression mold for forming T2 type wheel	406
Photo A1.P12	Various aluminum and brass fittings used in wheel modification	406
Photo A1.P13	Fitting FDS as shown in Figure 9.38	406
Photo A1.P14	An old Craftsman 4-in lathe used in this work	406
Photo A1.P15	Brass tubing 0.0625" OD by 0.036" ID	407
Photo A1.P16	Brass tubing shown in A1.P15 crimped towards the end	407
Photo A1.P17	Lathe tools as shown in Figure 7.7	407
Photo A1.P18	The T2 Calibrate wheel	407
Photo A1.P19	Parts for the JS 039 axle nail according to Figures 7.36 through 7.39	407
Photo A1.P20	The complete JS 039 wheel and axle assembly according to Figure 7.56	407
Photo A1.P21	The graphite samples studied in Appendix 11	408
Photo A1.P22	A 30 power magnified view of X-lube next to the fine sample G5	408
Photo A1.P23	A sample of X-lube spread out in a plastic dish	408
Photo A1.P24	A neodymium iron boron (NIB) magnet placed beneath the sample	408
Photo A1.P25	A 30X magnified view of a sparse sample of X- lube spread out	408
Photo A1.P26	The magnetic field from a NIB magnet causes the individual	408

APPENDIX 2 - TRACK CONSTRUCTION

A2.1 INTRODUCTION	409
A2.2 MATERIALS	409
A2.3 PLYWOOD AND GUIDE STRIP PREPARATION	410
A2.3.1 Cutting the Pieces	410
A2.3.2 Sanding and Varnishing	410
A2.3.3 Assembly of the Plywood Track Sections	412
A2.4 SECTION 1 CONSTRUCTION AND ASSEMBLY	414
A2.4.1 Leg Assembly and Attachment	414
A2.4.2 The Starting Bar	417
A2.4.3 The Trigger Assembly	418
A2.4.4 Guide Strip Attachment and Track Setup	418

APPENDIX 3 - THE BRUSH STOPPER 420

TABLE OF CONTENTS (CONTINUED)

APPENDIX 4 - SIMPLE HIGH PERFORMANCE CARS

A4.1	THE STANDARD CAR	422
A4.2	PREPARING THE AXLE	423
A4.3	LUBRICATION	424
A4.4	PERFORMANCE IMPROVEMENTS	426
A4.4.1	Modification B - Use 3 Wheels Rather than 4	426
A4.4.2	A Simple but Fast Cub Scout Car	427
A4.4.2.1	General Construction	427
A4.4.2.2	Modification C - Streamline Body	429
A4.4.2.3	Modification D - Moving Weight to Rear	429
A4.4.2.4	Modification E - Trim Wheels to Minimum Allowed	429
A4.4.2.5	Modification F - Change to X-Lube Graphite	429
A4.4.2.6	Modification G - Change to a Low Profile Car	430
A4.4.2.7	Modification H - Move More Weight to the Rear	431
A4.4.3	Modification I - Shave Wheel as a Semi-Pro Modification	431
A4.5	A BODY DRILL GUIDE ASSEMBLY	432
A4.6	A SIMPLE INEXPENSIVE BALANCE	433

APPENDIX 5 - MILNES.BAS

434

APPENDIX 6 - RACE600Z.BAS

438

APPENDIX 7 - RACE600Z.BAS APPLIED TO PERFECT RACE DATA- FIG. 10.21

445

APPENDIX 8 - AXLE/WHEEL FRICTION FORCES

A8.1	NEWTON'S SECOND LAW APPROACH - SMALL CLEARANCE	446
A8.2	WORK-ENERGY APPROACH - LARGE CLEARANCE	448

APPENDIX 9 - AIR DRAG FOR PROJECTED AREA ASPECT CHANGES

449

APPENDIX 10 - AIR RESISTANCE OF ROTATING DISC ABOVE A PLANE

452

APPENDIX 11 - MAGNETIC PROPERTIES OF GRAPHITES

A11.1	INTRODUCTION	453
A11.2	EXPERIMENTAL PROCEDURE	454
A11.3	DATA ACQUISITION	454
A11.4	MOLAR CONCENTRATION OF ADSORBED OXYGEN	455
A11.5	DISCUSSION OF RESULTS	456
A11.6	RELATED AND FUTURE WORK	457

APPENDIX 12 - 1991 & 1999 STANDARD WHEELS

458

APPENDIX 13 - AIR RESISTANCE OF A ROLLING SPHERE

A13.1	INTRODUCTION	460
A13.2	EXPERIMENTAL SETUP	460
A13.3	EXPERIMENTAL RESULTS	461
A13.4	DISCUSSION OF RESULTS	463

APPENDIX 14 - THE CHI-SQUARED DISTRIBUTION

A14.1	INTRODUCTION	464
A14.2	THE ISOTHERMAL ATMOSPHERE	464
A14.3	TWO DEGREES OF FREEDOM	466

TABLE OF CONTENTS (CONTINUED)

A14.4	THREE DEGREES OF FREEDOM	467
A14.5	THE GAMMA FUNCTION	468

APPENDIX 15 - NORMAL PARAMETERS AND THE STUDENT-T DISTRIBUTION

A15.1	INTRODUCTION	469
A15.2	AVERAGE OF A NORMAL RANDOM VARIABLE	469
A15.3	VARIANCE OF A NORMAL RANDOM VARIABLE	470
A15.4	DISTRIBUTION OF THE SAMPLE VARIANCE	470
A15.5	THE SAMPLE VARIANCE AVERAGE VALUE	473
A15.6	THE STUDENT - <i>T</i> DISTRIBUTION	474

APPENDIX 16 - DISCRETE RANDOM VARIABLES & THE GOODNESS-OF-FIT TEST

A16.1	INTRODUCTION	479
A16.2	DISCRETE PROBABILITY DISTRIBUTIONS	479
A16.3	THE NATURE OF RANDOM VARIABLES	480
A16.4	COMBINATIONS OF TWO RANDOM VARIABLES	480
A16.5	BERNOULLI TRIAL	481
A16.6	BINOMIAL RANDOM VARIABLES	481
A16.7	MULTINOMIAL RANDOM VARIABLES	484
A16.8	THE GOODNESS-OF-FIT TEST - NO PARAMETERS	485
A16.9	GOODNESS-OF-FIT - NORMAL DISTRIBUTION APPLICATION	486

APPENDIX 17 - SAMPLING AND THE CENTRAL LIMIT THEOREM

A17.1	INTRODUCTION	488
A17.2	RANDOM SAMPLES AND POPULATIONS	488
A17.3	THE LAW OF LARGE NUMBERS	488
A17.4	THE CENTRAL LIMIT THEOREM	489
A17.5	AN EMPIRICAL COIN TOSS EXPERIMENT	490
A17.6	AN EXPERIMENT WITH A SIMULATED NORMAL DISTRIBUTION	492
A17.7	RELATION BETWEEN VARIANCES OF POPULATIONS, AVERAGES, DEVIATES ..	494

APPENDIX 18 - 405 TIMES IN 135 TIME HEATS

APPENDIX 19 - APPLICATION NOTES

A19.1	VARIABLE AIR DRAG COEFFICIENTS	498
A19.1.1	The Euler numerical method	498
A19.1.2	Application to Falling Objects	499
A19.1.3	Application to a Race Car	501
A19.2	THE BALLISTIC PENDULUM	503

REFERENCES

INDEX